

BLUME TABLE



For every purchase, a tree gets planted

Wide range of top colours and finishes including our new side-pressed Bamboo top

Integrated cable management in all table legs with adjustable height levelling feet


Hand crafted solid ash frame

Available in a range of sizes

Optional power and data ports


Complementary Chairs and Stools

Rounded corner table top profile



STEPS TO SPECIFY


Follow our guide and customise our products to suit your space




Select Height: Standard or Poseur




Select Frame Finish:
Choose from selected finishes



Select Size:
Example sizes with chair configurations below




Diagrams show a 500mm chair placed around the tables as seating capacity indication only. Capacity can be increased with the use of benches. Tables over 2800 mm are more than one-piece tops, seams as shown below. Two-piece tops are not available on poseur height tables.



Select Power: Powered or Non-powered

Blume Tables can be specified with or without integrated power. Tables with Power are supplied with a steel lift-out power flap and shroud for cutline edge laminate tops or a Bamboo power flap to match the table top finish. The cable tray and power modules are Black as standard.




Standard power configuration for Blume Tables with Power









For power variations, the amount of power cut-outs per table varies depending on the length. Power modules per power cut-out are available with one of the options below.

| Table Length | Power Cut-outs |
|------------------|---|
| 1800mm to 2800mm | 1 |
| 3200mm to 5200mm | 2 - For two or more power cut-outs, please specify each power module. |



| | | | |
|--|---|--|---|
| <p>Option A 4x UK Power & 2x Twin USB Charge (1x Type-C & 1x Type-A USB Charge)</p> | <p>Option B 4x UK Power, 1x Twin USB Charge (1x Type-C & 1x Type-A), 1x CAT6 & 1x HDMI</p> | <p>Option C 4x UK Power, 1x Twin USB Charge (1x Type-C & 1x Type-A) & 2x CAT6</p> | <p>Option D No power modules. Cable tray only for customers own power.</p> |
|--|---|--|---|




Select Top Type and Finish: All tops are supplied with rounded corners. Available with cutline edge laminate or side-pressed solid bamboo.



Select Lift-out Power Flap Finish: Co-ordinating power flap and shroud to match top finish supplied as standard. Other finishes - POA.



Select Accessories:





Rounded corner profile tops




Integrated cable management and levelling feet



Complementary Chair and Stool available

Lift-out power flap





Blume Table
height 740, top thickness 25/30 mm

| SIZE (MM) | TOP PIECES | ORDER CODE | | |
|-------------|------------|---------------------------|---------------------------|---------------------------|
| | | Oak (Stained Ash) | Black Ash | Natural Ash |
| 1800 x 900 | 1 | BMT.DHT.OCA.180.90.1.NPV | BMT.DHT.SBK.180.90.1.NPV | BMT.DHT.NAS.180.90.1.NPV |
| 2100 x 1200 | 1 | BMT.DHT.OCA.210.120.1.NPV | BMT.DHT.SBK.210.120.1.NPV | BMT.DHT.NAS.210.120.1.NPV |
| 2400 x 1200 | 1 | BMT.DHT.OCA.240.120.1.NPV | BMT.DHT.SBK.240.120.1.NPV | BMT.DHT.NAS.240.120.1.NPV |
| 2800 x 1200 | 1 | BMT.DHT.OCA.280.120.1.NPV | BMT.DHT.SBK.280.120.1.NPV | BMT.DHT.NAS.280.120.1.NPV |
| 3200 x 1200 | 2 | BMT.DHT.OCA.320.120.2.NPV | BMT.DHT.SBK.320.120.2.NPV | BMT.DHT.NAS.320.120.2.NPV |
| 3600 x 1200 | 2 | BMT.DHT.OCA.360.120.2.NPV | BMT.DHT.SBK.360.120.2.NPV | BMT.DHT.NAS.360.120.2.NPV |
| 4200 x 1200 | 2 | BMT.DHT.OCA.420.120.2.NPV | BMT.DHT.SBK.420.120.2.NPV | BMT.DHT.NAS.420.120.2.NPV |
| 5200 x 1200 | 2 | BMT.DHT.OCA.520.120.2.NPV | BMT.DHT.SBK.520.120.2.NPV | BMT.DHT.NAS.520.120.2.NPV |



Blume Table with Power
height 740, top thickness 25/30 mm

| SIZE (MM) | TOP PIECES | CUT-OUTS | ORDER CODE | | |
|-------------|------------|----------|---------------------------|---------------------------|---------------------------|
| | | | Oak (Stained Ash) | Black Ash | Natural Ash |
| 1800 x 900 | 1 | 1 | BMT.DHT.OCA.180.90.1.WPV | BMT.DHT.SBK.180.90.1.WPV | BMT.DHT.NAS.180.90.1.WPV |
| 2100 x 1200 | 1 | 1 | BMT.DHT.OCA.210.120.1.WPV | BMT.DHT.SBK.210.120.1.WPV | BMT.DHT.NAS.210.120.1.WPV |
| 2400 x 1200 | 1 | 1 | BMT.DHT.OCA.240.120.1.WPV | BMT.DHT.SBK.240.120.1.WPV | BMT.DHT.NAS.240.120.1.WPV |
| 2800 x 1200 | 1 | 1 | BMT.DHT.OCA.280.120.1.WPV | BMT.DHT.SBK.280.120.1.WPV | BMT.DHT.NAS.280.120.1.WPV |
| 3200 x 1200 | 2 | 2 | BMT.DHT.OCA.320.120.2.WPV | BMT.DHT.SBK.320.120.2.WPV | BMT.DHT.NAS.320.120.2.WPV |
| 3600 x 1200 | 2 | 2 | BMT.DHT.OCA.360.120.2.WPV | BMT.DHT.SBK.360.120.2.WPV | BMT.DHT.NAS.360.120.2.WPV |
| 4200 x 1200 | 2 | 2 | BMT.DHT.OCA.420.120.2.WPV | BMT.DHT.SBK.420.120.2.WPV | BMT.DHT.NAS.420.120.2.WPV |
| 5200 x 1200 | 2 | 2 | BMT.DHT.OCA.520.120.2.WPV | BMT.DHT.SBK.520.120.2.WPV | BMT.DHT.NAS.520.120.2.WPV |



Blume Poseur Table
height 1050, top thickness 25/30 mm

| SIZE (MM) | TOP PIECES | ORDER CODE | | |
|-------------|------------|---------------------------|---------------------------|---------------------------|
| | | Oak (Stained Ash) | Black Ash | Natural Ash |
| 1800 x 900 | 1 | BMT.PHT.OCA.180.90.1.NPV | BMT.PHT.SBK.180.90.1.NPV | BMT.PHT.NAS.180.90.1.NPV |
| 2100 x 1200 | 1 | BMT.PHT.OCA.210.120.1.NPV | BMT.PHT.SBK.210.120.1.NPV | BMT.PHT.NAS.210.120.1.NPV |
| 2400 x 1200 | 1 | BMT.PHT.OCA.240.120.1.NPV | BMT.PHT.SBK.240.120.1.NPV | BMT.PHT.NAS.240.120.1.NPV |
| 2800 x 1200 | 1 | BMT.PHT.OCA.280.120.1.NPV | BMT.PHT.SBK.280.120.1.NPV | BMT.PHT.NAS.280.120.1.NPV |



Blume Poseur Table with Power
height 1050, top thickness 25/30 mm

| SIZE (MM) | TOP PIECES | CUT-OUTS | ORDER CODE | | |
|-------------|------------|----------|---------------------------|---------------------------|---------------------------|
| | | | Oak (Stained Ash) | Black Ash | Natural Ash |
| 1800 x 900 | 1 | 1 | BMT.PHT.OCA.180.90.1.WPV | BMT.PHT.SBK.180.90.1.WPV | BMT.PHT.NAS.180.90.1.WPV |
| 2100 x 1200 | 1 | 1 | BMT.PHT.OCA.210.120.1.WPV | BMT.PHT.SBK.210.120.1.WPV | BMT.PHT.NAS.210.120.1.WPV |
| 2400 x 1200 | 1 | 1 | BMT.PHT.OCA.240.120.1.WPV | BMT.PHT.SBK.240.120.1.WPV | BMT.PHT.NAS.240.120.1.WPV |
| 2800 x 1200 | 1 | 1 | BMT.PHT.OCA.280.120.1.WPV | BMT.PHT.SBK.280.120.1.WPV | BMT.PHT.NAS.280.120.1.WPV |

Specify power module option - Includes cut-out/s in table top, power flap, cable tray and power modules.