![Genesys Office Furniture logo]

DELIVERING FURNITURE SOLUTIONS SINCE 1997
www.genesys-uk.com   sales@genesys-uk.com

Panel finish

A number of different finishes are available, please use table below to locate fabric. If your required fabric is not listed please contact us.

manufacturer	range	width	features	available on seating	fabric band B	fabric band C
Camira	Aspect	1400		yes		•
	Blazer	1400		yes		•
	Blazer Lite	1700		no		•
	Canopy	1400		yes		•
	Era	1400		no	•	
	Era 170	1700		no	•	
	Gravity	1400		no	•	
	Halcyon	1400	Crib 5 & Antimicrobial	no		•
	Main Line Flax	1400	Crib 5	yes		•
	Manhattan	1400		no	•	
	Oceanic	1400	Recycled	yes		•
	Patina	1400	Crib 5	yes		•
	Rivet	1400		no	•	
	Sprint	1500		no		•
	Synergy	1400		yes		•
	Urban	1400	Crib 5 & Recycled	no		•
	X2	1400	Crib 5 & Recycled	yes		•
Inloom	Alba	1400	Crib 5	no	•	
	Jet	1400	Crib 5	yes		•
	Jet Bioactive	1400	Crib 5 & Antimicrobial	yes		•
	One	1500	Crib 5 & Recycled	yes		•
	Roccia	1400	Crib 5	yes		•

Other fabrics are available including **Abbotsford, Abraham Moon, Agua, Bute, Cheiftan, Fabricus, Gabriel, Kvadrat, Panaz, Sunbury and Svensson.** Contact us for details.

PHONE BOOTH

This phone booth system has improved acoustic development (rated at 36dB noise reduction) and updated aesthetic architecture. To achieve the improved acoustics it has 22mm double glazed panels, 6mm glazed doors, 55mm sound absorbing upholstered panels and 52mm sound absorbing ceiling tiles. The deluxe design includes an integrated facilities arch housing the PIR operated LED strip lighting and fan systems, ideal for achieving the client's agile working goals. Alongside the benefit of flexibility, with a dedicated new colourful RAL palette to bring softer, calming colours into the workspace, it will be the perfect personalised addition for privacy in collaborative spaces.

- Manufactured with 47% recycled content and 72% recyclable content.
- To reduce our environmental impact 92% of manufacturing waste is recycled.
- Available in sustainable fabrics which are recycled, renewable, compostable, and climate neutral.
- All timber components sourced through sustainably managed forests.
- Phonebooths are acoustically tested to BSEN ISO 140 and have a rating of 36dB.
- Supplied with a 5 year warranty subject to normal wear and tear (electrics 1 year).
- BSEN 1023 1/2/3 Tested to BSEN1023 parts 1/2/3 and certified by FIRA.
- Manufactured in the UK. Materials bought locally and sourced responsibly.

Frame finish

	thickness	frame material	black (RAL 9005)	silver (RAL 9006)	white (RAL 9016)	coral* (RAL3012)	graphite* (RAL 7024)	sage* (RAL 6021)
Hoozone corner post	55	ali	•	•	•	•	•	•
Hoozone panels	55	ali	•	•	•	•	•	•
Hoozone facilities arch	156	ali	•	•	•	•	•	•

*Coral, Graphite & Sage RAL options offered at 10% uplift to pod cost.

Door Glazed

	size	footprint (m²)	height
	1000mm x 1000mm	1	2100mm

Front & Back Glazed

	size	footprint (m²)	height
	1000mm x 1000mm	1	2100mm

DELUXE

The modern open plan office has seen the rise in the demand for single phone booths due to the necessity to find a quiet, focused space for a call. Rather than occupy a meeting pod or a side room, a phone booth offers a simple, acoustic solution with the small 1m² footprint, making it an ideal space saving addition to the office.

Specification
Upholstered panels are 55mm thick with sound absorbing foam faces.
Glazed panels are 55mm thick with 22mm clear toughened double glazed units.
Ceiling panels are 52mm thick upholstered on both sides with light grey fabric.
Integrated aluminium facilities arch included as standard housing lighting system.
Hinged doors are 6mm clear single glazed toughened glass.
Supplied with 18mm black MDF base with carpet tiles.
Phone booths are acoustically tested to BSEN ISO 140 and have a rating of 36dB.
Lighting system is PIR operated, high output – low voltage, diffused, dual LED strips.
All glazed panels and doors are supplied with double row of 50mm diameter opal frosted spots.
Usable door opening is 729mm.
Internal pod height from floor to ceiling panel is 2031mm.
Hinged doors supplied with double sided pull handle, magnetic closures and silicone rubber seals.
Integrated air circulation fans available with 78m³ per hour of airflow see pages 32–33.
For power/AV sockets, shelves, manifestations and accessories see pages 32–33.
Upholstered and glazed panels can be mixed on each wall.
Various framework colour finishes available.
Pods can be manufactured to any millimetre height, width or depth allowing full adaptability.

PHONE BOOTH

Door Glazed

	size	footprint (m²)	height
	1000mm x 1000mm	1	2100mm

Front & Back Glazed

	size	footprint (m²)	height
	1000mm x 1000mm	1	2100mm

STANDARD

The modern open plan office has seen the rise in the demand for single phone booths due to the necessity to find a quiet, focused space for a call. Rather than occupy a meeting pod or a side room, a phone booth offers a simple, acoustic solution with the small 1m² footprint, making it an ideal space saving addition to the office.
Standard phone booth is an economical version and does not include the facilities arch or an integrated ceiling cover.

Specification
Upholstered panels are 55mm thick with sound absorbing foam faces.
Glazed panels are 55mm thick with 22mm clear toughened double glazed units.
Ceiling panels are 45mm thick upholstered on both sides with light grey fabric.
Hinged doors are 6mm clear single glazed toughened glass.
Supplied with 18mm black MDF base with carpet tiles.
Phone booths are acoustically tested to BSEN ISO 140 and have a rating of 36dB.
Lighting system is PIR operated LED spot light.
All glazed panels and doors are supplied with double row of 50mm diameter opal frosted spots.
Usable door opening is 729mm.
Internal pod height from floor to ceiling panel is 2058mm.
Hinged doors supplied with double sided pull handle, magnetic closures and silicone rubber seals.
Integrated air circulation fans available with 78m³ per hour of airflow see pages 32-33.
For power/AV sockets, manifestations, shelves and accessories see pages 32-33.
Upholstered and glazed panels can be mixed on each wall.
Various framework colour finishes available.
Pods can be manufactured to any millimetre height, width or depth allowing full adaptability.

PHONE BOOTH – Accessories

	description	code
	Door lock for hinged door (Quadra locking latch Europrofile Cylinder)	H/Z003
	Deluxe Phone booth air circulation fan (small dual fans included)	H/P001
	Standard Phone booth air circulation fan (small dual fans included)	H/P002
	Opal frosted manifestation – double row of 50mm diameter spots (per panel)	H/Z006
	Opal frosted manifestation – 400mm high stripe (per panel)	H/Z007
	Opal frosted manifestation – 800mm high stripe (per panel)	H/Z008
	Opal frosted manifestation – 1200mm high stripe (per panel)	H/Z009
	Opal frosted manifestation – full height (per panel)	H/Z010
	Bespoke manifestation – in many colours and designs	H/Z011

	description	code
	Deluxe flush mounted socket for existing arch power post – 1 UK power	H/Z013
	Deluxe flush mounted socket for existing arch power post – 1 UK power, 1 twin USB fast charge (A+C)	H/Z015
	Deluxe flush mounted socket for existing arch power post 1 UK power, 2 data (CAT6)	H/Z016
	Deluxe flush mounted socket for existing arch power post – 1 UK power, 1 twin USB fast charge (A+C), 2 data (CAT6)	H/Z022
	Double sided 80mm cable port in panel (black/white/silver/graphite)	H/P007
	Single sided 80mm cable port in ceiling (black/white/silver/graphite)	H/P008
	Light switch	H/P009
	Deluxe remote control dimmable lighting	H/Z012
	Deluxe TV/monitor bracket suits up to 39" (small) for existing arch post (max weight 16kg) – includes 1 UK power	H/Z034

	description	code
	Shelf mounted socket in white or black – 1 UK power (supplied with H/P007)	H/ABL1
	Shelf mounted socket in white or black – 1 UK power, 1 data (CAT6) (supplied with H/P007)	H/ABL2
	Shelf mounted socket in white or black – 1 UK power, 2 data (CAT6) (supplied with H/P007)	H/ABL3
	Shelf mounted socket in white or black – 1 UK power, 1 USB smart charge (A+C) (supplied with H/P007)	H/ABL4
	Shelf mounted socket in white or black – 1 UK power, 1 USB smart charge (A+C), 1 data (CAT6) (supplied with H/P007)	H/ABL5
	Shelf mounted socket in white or black – 1 UK power, 1 USB smart charge (A+C), 2 data (CAT6) (supplied with H/P007)	H/ABL6
	External Cladding (18mm MFC) Egger White (W980ST2) per 1m panel	H/Z040
	External Cladding (18mm MFC) Finsa Roble Natural Oak (910) per 1m panel	H/Z041
	External Cladding (18mm MFMDF) Finsa Roble Natural Oak (910) Fluted, per 1m panel	H/Z042

	description	code
	Deluxe Phone booth side shelf 18mm white MFC	H/P003
	Standard Phone booth corner shelf 18mm white MFC	H/P004
	Standard Phone booth side shelf 18mm white MFC	H/P005
	Full width (25mm white MFC) height adjustable shelf on rear wall 300mm deep	H/P006
	Uplift for shelf in Egger Lancaster Oak (H3368)	US/001
	Uplift for shelf in Kronospan Light Maple (D375) or Medium Beech (D381) or Walnut (D481)	US/002
	Uplift for shelf in Kronospan Light Grey (U112) Dark Grey (U171) or Black (U190)	US/003
	Phone booth seat – 850mmH x 880mmW x 560mmD (Seat height 462mmH)	H/P010
	Dry wipe whiteboard with silver frame 1000mm high	H/Z032