


# TREEHOUSE phone booth

---



# TREEHOUSE standing single



**Frame, door handle and barstool leg from metal powder coated (structure)**

- RAL9010s
- RAL7047s
- RAL7045s
- RAL7024s
- RAL9005s

**Sound absorbing upholstered panels**

15 types of fabrics in a wide range of colours



**Acoustic glass**

Safety according to ČSN EN 12600 standard

## Table top

- Laminated board

- U570
- U112
- U164
- U190
- D3798

- HPL

- white
- black

- Wooden

- oak plywood
- pine plywood



## Wooden

- O1 (oak)
- P1 (pine)
- P2 (pine)
- P3 (pine)
- P4 (pine)

**Swivel barstool**


option



LIGHTING 



MEDIA PORT 



POWER SUPPLY 230 V 



BARSTOOL 



INDUCTIVE CHARGER 



TABLET/TELEPHONE HOLDER 



VENTILATION 



VENTILATION 

 standard

 option

## LIGHTING

Efficient, **energy-saving LED** lighting adapted for reading, activated automatically due to a motion sensor. Adjustable lighting angle  $\pm 20^\circ$ . Color temperature **4300 K**, brightness **390 Lm**.

## ACOUSTICS

Special **acoustic, toughened, laminated glass** with the increased sound insulation properties  $R_w = 38$  dB (EN ISO 10140, ISO 717-1).

Due to the solutions used, **confidentiality of conversations is ensured** – persons who are outside will not be able to hear what you are talking about. At the same time, external noise in the booth is significantly reduced.

**Optimal reverberation time** inside in order to conduct conversations in the comfortable manner.

The version upholstered outside improves acoustic conditions in the room, **reducing reverberation**.

## VENTILATION

**Efficient ventilation system**, used quiet fans with an air flow of approx. **80 m<sup>3</sup>/h**.

The quantity of air has been adjusted so to ensure optimal user comfort. The system is completely **maintenance free and safe**.

**Ventilation function** – after leaving the booth, the ventilation will work for another 3 minutes to ensure comfort for the subsequent users.


## ELECTRICAL INSTALLATION

**Safe electrical installation**, components made in **12 V** standard, with a total power of **6 W**. The set includes 2.5 m power cord (plug: type E – Poland, France; type F – Germany; type G – United Kingdom).

## MEDIA PORT

The set includes a **standard PIX round media port** (white-W or black-B) ([type] 1V) with one **230 V socket** (type E – Poland, France; type F – Germany; type G – United Kingdom), it can be replaced (or added) with a **media port PIX** (white-W or black-B) (M1CC) with a **double USB socket**.


# TECHNICAL DATA



Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always fulfilled.


The product sheet contains a description of the colour options, variants of the wall, floor and panel finishes, as well as the furnishing components possible to be installed.

## PACKAGE




box made of wood-based panels no. 1

H: 1320  
L: 2500  
W: 960



box made of wood-based panels no. 2

H: 1540  
L: 1200  
W: 1000

 kg	THS 1S G1	THS 1T G1	THS W 1S G1	THS W 1T G1	THS 1S G2	THS 1T G2	THS W 1S G2	THS W 1T G2
net product weight	305	295	320	310	355	325	350	340
gross box weight no. 1	355	355	370	370	405	385	400	400
gross box weight no. 2	110	100	110	100	110	100	110	100